




County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
 www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Wendy's #10660				DATE 2/17/2023	TIME IN 11:25 AM	TIME OUT 12:15 PM
ADDRESS 1841 S San Jacinto Ave, San Jacinto, CA 92583				FACILITY DESCRIPTION Not Applicable		
PERMIT HOLDER Cotti Foods California Inc				EMAIL wn010660@cottifoods.net		Major Violations 0
PERMIT # PR0064675	EXPIRATION DATE 05/31/2023	SERVICE Routine inspection	REINSPECTION DATE Next Routine	FACILITY PHONE # (949)858-9191	PE 2621	DISTRICT 0013
					INSPECTOR NAME Julianne Hinde	Points Deducted 2

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.



Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.

GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

- In = In compliance
 COS = Corrected on-site
 N/O = Not observed
 N/A = Not applicable
 OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
<input checked="" type="radio"/>	N/A			2
1. Food safety certification Santa Monzon/ ServSafe EXP: 2/11/27				
EMPLOYEE HEALTH AND HYGIENIC PRACTICES				
<input checked="" type="radio"/>			4	
2. Communicable disease; reporting, restrictions and exclusions				
<input checked="" type="radio"/>	N/O			2
3. No persistent discharge from eyes, nose, and mouth				
<input checked="" type="radio"/>	N/O			2
4. Proper eating, tasting, drinking or tobacco use				
PREVENTING CONTAMINATION BY HANDS				
<input checked="" type="radio"/>	N/O		4	2
5. Hands clean and properly washed; gloves used properly				
<input checked="" type="radio"/>				2
6. Adequate handwashing facilities supplied and accessible				
TIME AND TEMPERATURE RELATIONSHIPS				
<input checked="" type="radio"/>	N/O	N/A	4	2
7. Proper hot and cold holding temperatures				
<input checked="" type="radio"/>	N/O	N/A	4	2
8. Time as a public health control; procedures and records				
<input checked="" type="radio"/>	N/O	N/A	4	2
9. Proper cooling methods				
<input checked="" type="radio"/>	N/O	N/A	4	2
10. Proper cooking time and temperature				
<input checked="" type="radio"/>	N/O	N/A	4	
11. Proper reheating procedures for hot holding				
PROTECTION FROM CONTAMINATION				
<input checked="" type="radio"/>	N/O	N/A		2
12. Returned and re-service of food				
<input checked="" type="radio"/>			4	2
13. Food: unadulterated, no spoilage, no contamination				
<input checked="" type="radio"/>	N/O	N/A	4	2
14. Food contact surfaces: clean and sanitized Quaternary ammonium at 200 ppm / 103°F				

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
<input checked="" type="radio"/>			4	2
15. Food obtained from approved sources				
<input checked="" type="radio"/>	N/O	N/A		2
16. Compliance with shell stock tags, condition, display				
<input checked="" type="radio"/>	N/O	N/A		2
17. Compliance with Gulf Oyster regulations				
CONFORMANCE WITH APPROVED PROCEDURES				
<input checked="" type="radio"/>		N/A		2
18. Compliance with variance, specialized process, and HACCP plan				
CONSUMER ADVISORY				
<input checked="" type="radio"/>		N/A		1
19. Written disclosure and reminder statements provided for raw or undercooked foods				
SCHOOL AND HEALTHCARE PROHIBITED FOODS				
<input checked="" type="radio"/>		N/A	4	2
20. Licensed health care facilities / public and private schools; prohibited foods not offered				
WATER / HOT WATER				
<input checked="" type="radio"/>			4	2
21. Hot and cold water available Water Temperature measured at the 3-compartment sink at 125°F				
LIQUID WASTE DISPOSAL				
<input checked="" type="radio"/>			4	2
22. Sewage and wastewater properly disposed				
VERMIN				
<input checked="" type="radio"/>			4	2
23. No rodents, insects, birds, or animals				
<input checked="" type="radio"/>	N/A			1
24. Vermin proofing, air curtains, self-closing doors				

SUPERVISION / PERSONAL CLEANLINESS	OUT
25. Person in charge present and performs duties, demonstration of knowledge	2
26. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
27. Approved thawing methods, frozen food storage	1
28. Food separated and protected from contamination	2
29. Washing fruits and vegetables	1
30. Toxic substances properly identified, stored, used	1
FOOD STORAGE / DISPLAY / SERVICE	
31. Adequate food storage; food storage containers identified	1
32. Consumer self-service	1
33. Food properly labeled; honestly presented; menu labeling	1

EQUIPMENT / UTENSILS / LINENS	OUT
34. Utensils and equipment approved, good repair	1
35. Warewashing: installed, maintained, proper use, test materials	1
36. Equipment / utensils: installed, clean, adequate capacity	1
37. Equipment, utensils, and linens: storage and use	1
38. Adequate ventilation and lighting; designated areas, use	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: properly installed, good repair	1
42. Refuse properly disposed; facilities maintained	1
43. Toilet facilities: properly constructed, supplied, cleaned	1
44. Premises: personal item storage and cleaning item storage	1

PERMANENT FOOD FACILITIES	OUT
45. Floors, walls, ceilings: good repair / fully enclosed	1
46. Floors, walls, and ceilings: clean	1
47. No unapproved private homes / living or sleeping quarters	1
SIGNS / REQUIREMENTS	
48. Last inspection report available	
49. Food Handler certifications available, current, and complete	1
50. Grade card and signs posted, visible	
COMPLIANCE AND ENFORCEMENT	
51. Plans approved / submitted	
52. Permit available / current	
53. Permit suspended / revoked	
54. Voluntary condemnation	
55. Impound	



FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Wendy's #10660	DATE 2/17/2023	PERMIT # PR0064675
---------------------------------	-------------------	-----------------------

38. ADEQUATE VENTILATION & LIGHTING: DESIGNATED AREAS; USE

POINTS

1

Inspector Comments: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department.

Observed gaps in the hood filters. Ensure the hood filters are properly installed without gaps.

Violation Description: Mechanical exhaust ventilation shall be provided to remove toxic gases, heat, grease, vapors, and smoke. All areas of a food facility shall have sufficient ventilation to facilitate proper food storage and provide a reasonable condition of comfort for each employee. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan. Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1)

41. PLUMBING: PROPERLY INSTALLED, GOOD REPAIR

POINTS

1

Inspector Comments: All plumbing and plumbing fixtures shall be installed in an approved manner and shall be maintained clean, fully operative, and in good repair.

Observed the drain pipe to be below the floor time of the floor sink for the 3-compartment sink. Maintain a minimum 1 inch air gap between the drain pipe and floor sink.

Violation Description: All plumbing shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. All food-related equipment drain lines must discharge through an approved indirect connection. Any hose used for conveying potable water shall be made from approved material and used for no other purpose. (114171, 114189.1, 114190, 114192(b,c), 114193, 114193.1, 114199, 114201, 114269)

Overall Inspection Comments

Per manager, the facility will be undergoing a remodel in the next few months. Ensure plans are submitted to Octavio Gonzalez from the Plan Check Program prior to remodeling. Contact Octavio Gonzalez at 951-766-2824 or email OGonzale@rivco.org.

The report was discussed with Santa Monzon and will be sent via email.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Santa Monzon
Person in Charge

02/17/2023

Julianne Hinde
Environmental Health Specialist

02/17/2023

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk


In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard on shelves



PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS



Store cooked and ready-to-eat food above raw food to avoid cross-contamination.
 Keep all food covered to prevent contamination

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



1 SCRAPE 2 WASH 3 RINSE 4 SANITIZE 5 AIR DRY

PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS

1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process

INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	155°F for 15 seconds	155°F for 15 seconds	165°F for 15 seconds	165°F for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTHE
 260 N Broadway
 Blythe, CA 92225
 Self-Service Kiosk
 Only

CORONA
 2275 S Main St #204
 Corona, CA 92882
 Phone 951-273-9140
 Fax 951-520-8319

HEMET
 800 S Sanderson Ave #200
 Hemet, CA 92545
 Phone 951-766-2824
 Fax 951-766-7874

INDIO
 47-950 Arabia St #A
 Indio, CA 92201
 Phone 760-863-8287
 Fax 760-863-8303

MURRIETA
 30135 Technology Dr #250
 Murrieta, CA 92563
 Phone 951-461-0284
 Fax 951-461-0245

PALM SPRINGS
 554 S Paseo Dorotea
 Palm Springs, CA 92264
 Phone 760-320-1048
 Fax 760-320-1470

RIVERSIDE
 4065 County Circle Dr #104
 Riverside, CA 92503
 Phone 951-358-5172
 Fax 951-358-5017