



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
 www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Chipotle Mexican Grill #1229				DATE 11/8/2023	TIME IN 10:30 AM	TIME OUT 12:00 PM
ADDRESS 30024 Haun Rd Ste # 130, Menifee, CA 92548				FACILITY DESCRIPTION Not Applicable		
PERMIT HOLDER Chipotle Mexican Grill Inc				EMAIL ca.1229.menifee@chipotle.com		Major Violations 0
PERMIT # PR0039804	EXPIRATION DATE 12/31/2023	SERVICE Routine inspection	REINSPECTION DATE Next Routine	FACILITY PHONE # (951)301-9249	PE 3621	DISTRICT 0045
INSPECTOR NAME Kristen Burnham					Points Deducted 5	

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.



Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.

GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

- In = In compliance
 COS = Corrected on-site
 N/O = Not observed
 N/A = Not applicable
 OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
<input checked="" type="radio"/>	N/A 1. Food safety certification Isleny Quezada, ServSafe, 10-13-26			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES				
<input checked="" type="radio"/>	2. Communicable disease; reporting, restrictions and exclusions		4	
<input checked="" type="radio"/>	N/O 3. No persistent discharge from eyes, nose, and mouth			2
<input checked="" type="radio"/>	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
<input checked="" type="radio"/>	N/O 5. Hands clean and properly washed; gloves used properly		4	2
<input checked="" type="radio"/>	6. Adequate handwashing facilities supplied and accessible			2
TIME AND TEMPERATURE RELATIONSHIPS				
<input checked="" type="radio"/>	N/O N/A 7. Proper hot and cold holding temperatures		4	2
<input checked="" type="radio"/>	N/O N/A 8. Time as a public health control; procedures and records		4	2
<input checked="" type="radio"/>	N/A 9. Proper cooling methods		4	2
<input checked="" type="radio"/>	N/O N/A 10. Proper cooking time and temperature		4	2
<input checked="" type="radio"/>	N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
<input checked="" type="radio"/>	N/A 12. Returned and re-service of food			2
<input checked="" type="radio"/>	13. Food: unadulterated, no spoilage, no contamination		4	2
<input checked="" type="radio"/>	N/O N/A 14. Food contact surfaces: clean and sanitized 50 ppm chlorine / mechanical dw		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
<input checked="" type="radio"/>	15. Food obtained from approved sources		4	2
<input checked="" type="radio"/>	N/O N/A 16. Compliance with shell stock tags, condition, display			2
<input checked="" type="radio"/>	N/O N/A 17. Compliance with Gulf Oyster regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
<input checked="" type="radio"/>	N/A 18. Compliance with variance, specialized process, and HACCP plan			2
CONSUMER ADVISORY				
<input checked="" type="radio"/>	N/A 19. Written disclosure and reminder statements provided for raw or undercooked foods			1
SCHOOL AND HEALTHCARE PROHIBITED FOODS				
<input checked="" type="radio"/>	N/A 20. Licensed health care facilities / public and private schools; prohibited foods not offered		4	2
WATER / HOT WATER				
<input checked="" type="radio"/>	21. Hot and cold water available Water Temperature 124°F		4	2
LIQUID WASTE DISPOSAL				
<input checked="" type="radio"/>	22. Sewage and wastewater properly disposed		4	2
VERMIN				
<input checked="" type="radio"/>	23. No rodents, insects, birds, or animals		4	2
<input checked="" type="radio"/>	N/A 24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS	OUT
25. Person in charge present and performs duties, demonstration of knowledge	2
26. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
27. Approved thawing methods, frozen food storage	1
28. Food separated and protected from contamination	2
29. Washing fruits and vegetables	1
30. Toxic substances properly identified, stored, used	1
FOOD STORAGE / DISPLAY / SERVICE	
31. Adequate food storage; food storage containers identified	1
32. Consumer self-service	1
33. Food properly labeled; honestly presented; menu labeling	1

EQUIPMENT / UTENSILS / LINENS	OUT
34. Utensils and equipment approved, good repair	1
35. Warewashing: installed, maintained, proper use, test materials	1
36. Equipment / utensils: installed, clean, adequate capacity	1
37. Equipment, utensils, and linens: storage and use	1
38. Adequate ventilation and lighting; designated areas, use	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: properly installed, good repair	1
42. Refuse properly disposed; facilities maintained	1
43. Toilet facilities: properly constructed, supplied, cleaned	1
44. Premises: personal item storage and cleaning item storage	1

PERMANENT FOOD FACILITIES	OUT
45. Floors, walls, ceilings: good repair / fully enclosed	1
46. Floors, walls, and ceilings: clean	1
47. No unapproved private homes / living or sleeping quarters	1
SIGNS / REQUIREMENTS	
48. Last inspection report available	
49. Food Handler certifications available, current, and complete	1
50. Grade card and signs posted, visible	
COMPLIANCE AND ENFORCEMENT	
51. Plans approved / submitted	
52. Permit available / current	
53. Permit suspended / revoked	
54. Voluntary condemnation	
55. Impound	



FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Chipotle Mexican Grill #1229	DATE 11/8/2023	PERMIT # PR0039804
--	--------------------------	------------------------------

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS
2

Inspector Comments:

--Several fruit flies are present in the facility. Remove the fruit flies using approved methods and materials. Consult a professional pest control company as needed. Eliminate any potential fruit fly breeding sites, such as standing water, over-ripe fruit/food, decaying food, and residue build-up in drains. Keep foods protected and sanitize surfaces frequently until the fruit flies have been eradicated.

Violation Description: Each food facility shall be kept free of vermin. Only approved animals, such as service animals or decorative fish in aquariums, are permitted inside a food facility. (114259.1, 114259.4, 114259.5)

34. UTENSILS AND EQUIPMENT APPROVED, GOOD REPAIR

POINTS
1

Inspector Comments:

- Clean then reseal the crevices at the mop sink stainless steel panels.
- An unusual noise appeared to be coming from the ventilation fan in the men's restroom. Evaluate the fan to verify it is working properly. Repair or replace the fan if it is not.
- The light bulb directly above the soda machine appears to be a bare compact fluorescent bulb. If this bulb is not shatter-resistant, ensure it is promptly replaced with a shatter-resistant option.
- Recaulk (or re-silicone) the junction between the 3- compartment sink and the wall. The current caulking is in disrepair and discolored.
- The black insulation sleeve on the walk-in refrigerator evaporative unit drain line is becoming ragged. Ensure this insulating cover is replaced.

Violation Description: All utensils and equipment shall be approved and in good repair. (114130, 114130.1-114130.6, 114132, 114133, 114137, 114175, 114177, 114257)

36. EQUIPMENT / UTENSILS PROPERLY INSTALLED, CLEAN; ADEQUATE CAPACITY

POINTS
1

Inspector Comments:

- The following require further cleaning:
- air curtain fan above door to patio (heavy dust present)
 - flooring in the corners, under equipment, behind equipment
 - vented ceiling panels above the service line and register (heavy dust)
 - translucent plastic sanitizer and detergent lines at the 3- comp sink (by the faucet): black residue present
 - rinsing sprayer at the 3- comp sink: spring and nozzle
 - levers for the dishwasher lift-up doors
 - top of ice maker
 - top of dishwasher
 - perforated metal shelving racks located to the left of the dishwasher
 - rolling cart for dishwasher racks located below the dishwasher drain board
 - walk-in refrigerator light covers, fan covers, ceiling
 - blue fan on the floor by the ice maker
 - glass sneeze guard (including crevices) at the service line
 - ice scoop holder and its hooks (on the side of the ice maker)
 - inside the white handle of the white bucket stored above the 3- compartment sink

Much of the equipment in the facility requires deeper, detail cleaning. Ensure all overlooked areas of the equipment, such as wheels, posts, and crevices, receive cleaning.

Violation Description: All utensils and equipment shall be clean and installed in an approved manner. Equipment type and quantity shall be adequate for the operation. (114115, 114130.3, 114139, 114153, 114163, 114165, 114167, 114169, 114175, 114180, 114182, 114257)



FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Chipotle Mexican Grill #1229	DATE 11/8/2023	PERMIT # PR0039804
--	--------------------------	------------------------------

37. EQUIPMENT, UTENSILS, LINENS: STORAGE AND USE

POINTS
0

Inspector Comments:

Note:

--One of the carbon dioxide tanks is not secured to a rigid structure. Ensure this tank is secured promptly to reduce risk of injury and damage during an earthquake.

Violation Description: Utensils and equipment shall be handled and stored in an approved manner, protected from contamination. All clean and soiled linen shall be properly stored. (114067(h), 114074, 114081, 114083, 114119, 114121, 114143(a-b), 114161, 114172, 114178, 114179, 114185, 114185.2, 114185.3, 114185.4, 114185.5)

45. FLOORS, WALLS, CEILING: GOOD REPAIR / FULLY ENCLOSED

POINTS
1

Inspector Comments:

--Replenish the floor tile grout where it has eroded away, including near the ice maker and by the dishwasher. The grout must be kept plentiful enough to prevent the accumulation of water and food debris between the floor tiles.

--Fill in the gaps between any of the cove base tiles and the wall, such as the gap present on the wall across from the dishwasher.

--Fill in any tiny holes in the walls, including those by the ice bucket.

Violation Description: The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)

Overall Inspection Comments

A complaint investigation was conducted in conjunction with this routine inspection. Details can be found in complaint report CO0088558 . Contact this Department for further information.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Isleny Quezada
Person in Charge

11/08/2023

Kristen Burnham
Environmental Health Specialist

11/08/2023

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard on shelves



PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS



Store cooked and ready-to-eat food above raw food to avoid cross-contamination.
 Keep all food covered to prevent contamination

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



1 SCRAPE 2 WASH 3 RINSE 4 SANITIZE 5 AIR DRY

PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS

1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process

INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	155°F for 15 seconds	155°F for 15 seconds	165°F for 15 seconds	165°F for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTHE
 260 N Broadway
 Blythe, CA 92225
 Self-Service Kiosk
 Only

CORONA
 2275 S Main St #204
 Corona, CA 92882
 Phone 951-273-9140
 Fax 951-520-8319

HEMET
 800 S Sanderson Ave #200
 Hemet, CA 92545
 Phone 951-766-2824
 Fax 951-766-7874

INDIO
 47-950 Arabia St #A
 Indio, CA 92201
 Phone 760-863-8287
 Fax 760-863-8303

MURRIETA
 30135 Technology Dr #250
 Murrieta, CA 92563
 Phone 951-461-0284
 Fax 951-461-0245

PALM SPRINGS
 554 S Paseo Dorotea
 Palm Springs, CA 92264
 Phone 760-320-1048
 Fax 760-320-1470

RIVERSIDE
 4065 County Circle Dr #104
 Riverside, CA 92503
 Phone 951-358-5172
 Fax 951-358-5017