



COUNTY OF RIVERSIDE DEPARTMENT OF ENVIRONMENTAL HEALTH

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME Chipotle Mexican Grill # 2955			DATE 03/04/2025	TIME IN 11:15 AM	TIME OUT 12:00 PM	
FACILITY ADDRESS 1870 N Perris Blvd Ste 10 Perris, CA 92571-2723			FACILITY PHONE # (303) 222-2524			
PERMIT HOLDER Chipotle Mexican Grill Inc			EMAIL Licensing@chipotle.com			
PERMIT # PR0073081	FACILITY DESCRIPTION Restaurant 1 to 2000 sq ft	EXPIRATION DATE 06/30/2025	SPECIALIST NAME Leslie Aranda	DISTRICT 14	SERVICE Routine Inspection	REINSPECTION DATE Next Routine

THE CONDITIONS LISTED BELOW CORRESPOND TO VIOLATIONS OF THE CALIFORNIA HEALTH AND SAFETY CODE AND / OR RIVERSIDE COUNTY ORDINANCES AND ALL VIOLATIONS SHALL BE CORRECTED AS INDICATED BY THE ENFORCEMENT OFFICER. REINSPECTION / RETURN-TO-COMPLIANCE WILL BE COMPLETED/VERIFIED ON OR AFTER THE DATE INDICATED ON THIS REPORT. THE DEPARTMENT OF ENVIRONMENTAL HEALTH APPRECIATES YOUR COOPERATION.

MAJOR / MINOR VIOLATIONS: MAJOR VIOLATIONS ARE THOSE THAT POSE AN IMMEDIATE RISK TO PUBLIC HEALTH AND WARRANT IMMEDIATE CLOSURE OF THE FOOD FACILITY OR IMMEDIATE CORRECTION. MINOR VIOLATIONS ARE THOSE VIOLATIONS THAT DO NOT POSE AN IMMEDIATE PUBLIC HEALTH RISK, BUT DO WARRANT CORRECTION.



GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 PASSED INSPECTION / MEETS MINIMUM HEALTH STANDARDS. B = 89-80 DID NOT PASS INSPECTION / DOES NOT MEET MINIMUM HEALTH STANDARDS. C = 79-0 FAILED INSPECTION / CONDITIONS EXIST WHICH MAY POSE A POTENTIAL OR ACTUAL THREAT TO PUBLIC HEALTH AND SAFETY. THE FACILITY IS REQUIRED TO DISPLAY A GRADE CARD IN A CONSPICUOUS PLACE SELECTED BY THE ENFORCEMENT OFFICER. THE GRADE CARD SHALL NOT BE CONCEALED AND CAN ONLY BE REMOVED OR RELOCATED BY THE ENFORCEMENT OFFICER PER COUNTY ORDINANCE 492 / COUNTY CODE SECTION 8.40.020

SCORE 98

In = In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site MAJ = Major Violation OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT	FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In	N/A	1. Food safety certification Angelica Arreola/ ServSafe EXP:04/24/2026			2	In		15. Food obtained from approved sources		4	2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES						In	N/O	N/A			2
In		2. Communicable disease; reporting, restrictions, and exclusions		4		In	N/O	N/A			2
In	N/O	3. No persistent discharge from eyes, nose, and mouth			2	CONFORMANCE WITH APPROVED PROCEDURES					
In	N/O	4. Proper eating, tasting, drinking, or tobacco use			2	In	N/A	18. Compliance with variance, specialized process, and HACCP plan			2
PREVENTING CONTAMINATION BY HANDS						CONSUMER ADVISORY					
In	N/O	5. Hands clean and properly washed; gloves used properly		4	2	In	N/A	19. Written disclosure and reminder statements provided for raw or undercooked food			1
In		6. Adequate handwashing facilities supplied and accessible			2	SCHOOL AND HEALTHCARE PROHIBITED FOOD					
TIME AND TEMPERATURE RELATIONSHIP						In	N/A	20. Licensed health care facilities / public and private schools; prohibited food not offered		4	2
In	N/O	7. Proper hot and cold holding temperatures		4	2	WATER / HOT WATER					
In	N/O	8. Time as a public health control; procedures and records		4	2	In		21. Hot and cold water available		4	2
In	N/O	9. Proper cooling methods		4	2	WATER TEMPERATURE: 120F					
In	N/O	10. Proper cooking time and temperature		4	2	LIQUID WASTE DISPOSAL					
In	N/O	11. Proper reheating procedures for hot holding		4		In		22. Sewage and wastewater properly disposed		4	2
PROTECTION FROM CONTAMINATION						VERMIN					
In	N/O	12. Returned and re-service of food			2	In		23. No rodents, insects, birds, or animals		4	2
In		13. Food: unadulterated, no spoilage, no contamination		4	2	In	N/A	24. Vermin proofing, air curtains, self-closing doors			1
In	N/O	14. Food contact surfaces: clean and sanitized SANITIZER (ppm):50 Chlorine WAREWASH TEMP: 100F		4	2						

SUPERVISION / PERSONAL CLEANLINESS		OUT	EQUIPMENT / UTENSILS / LINENS		OUT	PERMANENT FOOD FACILITIES		OUT	
25. Person in charge present and performs duties, demonstration of knowledge		2	34. Utensils and equipment approved, good repair		1	45. Floors, walls, ceilings: good repair / fully enclosed		1	
26. Personal cleanliness and hair restraints		1	35. Warewashing: installed, maintained, proper use, test materials		1	46. Floors, walls, and ceilings: clean		1	
GENERAL FOOD SAFETY REQUIREMENTS						36. Equipment / utensils: installed, clean, adequate capacity			1
27. Approved thawing methods, frozen food storage		1	37. Equipment, utensils, and linens: storage and use		1	47. No unapproved private homes / living or sleeping quarters			1
28. Food separated and protected from contamination		2	SIGNS / REQUIREMENTS						
29. Washing fruits and vegetables		1	38. Adequate ventilation and lighting; designated areas, use		1	48. Last inspection report available			
30. Toxic substances properly identified, stored, used		1	39. Thermometers provided and accurate		1	49. Food Handler Certifications available, current, and complete			1
FOOD STORAGE / DISPLAY / SERVICE						50. Grade card and signs posted, visible			
31. Adequate food storage; food storage containers identified		1	PHYSICAL FACILITIES						
32. Consumer self-service		1	40. Wiping cloths: properly used and stored		1	51. Plans approved / submitted			
33. Food properly labeled; honestly presented; menu labeling		1	41. Plumbing: properly installed, good repair		1	52. Permit available / current			
			42. Refuse properly disposed; facilities maintained		1	53. Permit suspended / revoked			
			43. Toilet facilities: properly constructed, supplied, cleaned		1				
			44. Premises; personal item storage and cleaning item storage		1				



COUNTY OF RIVERSIDE
DEPARTMENT OF ENVIRONMENTAL HEALTH

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME Chipotle Mexican Grill # 2955	DATE 03/04/2025	PERMIT # PR0073081
--	--------------------	-----------------------

General Comments:

New "A" and "public notice" provided at this time.

This routine inspection was conducted in conjunction with a complaint investigation (CO1002697)

Observations:

34. Utensils and equipment approved, good repair

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments: All utensils and equipment shall be approved and maintained in good repair. Observed the following:

-The gasket for the cookline reach in cooler to be torn. Replace in approved manner.

-The reach in cooler next to the ice machine to be actively dripping water from a panel at the back of the unit. Instruction was given to place a container to contain the leak. Repair in approved manner.

Violation Code - All utensils and equipment shall be approved and in good repair. (114130, 114130.1-114130.6, 114132, 114133, 114137, 114175, 114177, 114257)

44. Premises; personal item storage and cleaning item storage

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments: Observed a personal water bottle placed on the back prep table. This was relocated at time of inspection. All personal drinks are to be maintained covered and stored in a manner to prevent contamination (i.e. in a separate area, lower shelf, etc).

Violation Code - Lockers or another approved area for personal belongings shall be provided. The premises of each food facility shall be kept clean and free of litter and items that are unnecessary to the operation or maintenance of the facility. At least one janitorial sink with hot and cold running water shall be provided. Cleaning supplies and equipment shall be stored separate from food and food-related areas. Mops shall be store in such a way that allows air-drying. (114123, 114256, 114256.1, 114256.2, 114256.4, 114257.1, 114279, 114281, 114282)

SIGNATURE

PERSON IN CHARGE: Angelica Arreola

PRINT

SPECIALIST: Leslie Aranda

PRINT

REASONS FOR IMMEDIATE FACILITY CLOSURE

Per California Health and Safety Code Section 114409 (a):

"If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

Time is the key factor in proper cooling

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper time frames.


MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A 3-COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink.

Use one of the following sanitizing methods:

- 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
- 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
- 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
- Water at a temperature of 171°F for a minimum of 30 seconds in solution

5. **AIR DRY** all items on the drain board.



PROPER FOOD THAWING METHODS



- Under refrigeration
- In a microwave oven on "defrost"
- Submerged under cold running water in an approved preparation sink for no longer than 2 hours
- As part of the cooking process



9 MAJOR FOOD ALLERGENS


- Milk
- Eggs
- Peanuts
- Tree nuts (e.g., almonds, walnuts, cashews)
- Fish (e.g., salmon, tuna, cod)
- Shellfish (e.g., shrimp, crab, lobster)
- Wheat
- Soy
- Sesame

INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F	145°F	145°F	145°F	155°F	155°F	165°F	165°F
for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds

PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS



Did you know you are protected from civil and criminal liability when donating food? The Federal Good Samaritan Food Donation Act (Civil Code, 171425) provides liability protections for good faith donations of surplus food. The California Good Samaritan Food Donation Act (California Retail Food Code, 114432) further expands the list of entities covered by the protection. It also allows for direct donation to a person from regulated and inspected facilities in addition to stating past-date food is subject to liability protection. Please consider donating your excess food product to a local food recovery organization. For more information visit our website at www.rivcoeh.org.

FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

CORONA
2275 S Main St #204
Corona, CA 92882
Phone 951-273-9140
Fax 951-520-8319

HEMET
800 S Sanderson Ave #200
Hemet, CA 92545
Phone 951-766-2824
Fax 951-766-7874

INDIO
47-950 Arabia St #A
Indio, CA 92201
Phone 760-863-8287
Fax 760-863-8303

MURRIETA
30135 Technology Dr #250
Murrieta, CA 92563
Phone 951-461-0284
Fax 951-461-0245

PALM SPRINGS
554 S Paseo Dorotea
Palm Springs, CA 92264
Phone 760-320-1048
Fax 760-320-1470

RIVERSIDE
4065 County Circle Dr #104
Riverside, CA 92503
Phone 951-358-5172
Fax 951-358-5017