



# COUNTY OF RIVERSIDE DEPARTMENT OF ENVIRONMENTAL HEALTH

(888)722-4234 • RIVCOEH.ORG

## FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME Shell Gas Station -Jackson 6843		DATE 07/08/2025	TIME IN 02:45 PM	TIME OUT 03:00 PM
FACILITY ADDRESS 72300 Highway 111 Palm Desert, CA 92260-2747		FACILITY PHONE #		
PERMIT HOLDER Multi-Site Management, LLC		EMAIL		
PERMIT # PR1003244	FACILITY DESCRIPTION FF 2001-5999 SQFT Unpack	EXPIRATION DATE 05/31/2026	DISTRICT 31	SERVICE Routine Inspection
				REINSPECTION DATE Next Routine

THE CONDITIONS LISTED BELOW CORRESPOND TO VIOLATIONS OF THE CALIFORNIA HEALTH AND SAFETY CODE AND / OR RIVERSIDE COUNTY ORDINANCES AND ALL VIOLATIONS SHALL BE CORRECTED AS INDICATED BY THE ENFORCEMENT OFFICER. REINSPECTION / RETURN-TO-COMPLIANCE WILL BE COMPLETED/VERIFIED ON OR AFTER THE DATE INDICATED ON THIS REPORT. THE DEPARTMENT OF ENVIRONMENTAL HEALTH APPRECIATES YOUR COOPERATION.

**MAJOR / MINOR VIOLATIONS:** MAJOR VIOLATIONS ARE THOSE THAT POSE AN IMMEDIATE RISK TO PUBLIC HEALTH AND WARRANT IMMEDIATE CLOSURE OF THE FOOD FACILITY OR IMMEDIATE CORRECTION. MINOR VIOLATIONS ARE THOSE VIOLATIONS THAT DO NOT POSE AN IMMEDIATE PUBLIC HEALTH RISK, BUT DO WARRANT CORRECTION.



GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 PASSED INSPECTION / MEETS MINIMUM HEALTH STANDARDS. B = 89-80 DID NOT PASS INSPECTION / DOES NOT MEET MINIMUM HEALTH STANDARDS. C = 79-0 FAILED INSPECTION / CONDITIONS EXIST WHICH MAY POSE A POTENTIAL OR ACTUAL THREAT TO PUBLIC HEALTH AND SAFETY. THE FACILITY IS REQUIRED TO DISPLAY A GRADE CARD IN A CONSPICUOUS PLACE SELECTED BY THE ENFORCEMENT OFFICER. THE GRADE CARD SHALL NOT BE CONCEALED AND CAN ONLY BE REMOVED OR RELOCATED BY THE ENFORCEMENT OFFICER PER COUNTY ORDINANCE 492 / COUNTY CODE SECTION 8.40.020

**SCORE** 90

In = In compliance      N/O = Not observed      N/A = Not applicable      COS = Corrected on-site      MAJ = Major Violation      OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT	FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In	N/A	1. Food safety certification			2	In		15. Food obtained from approved sources		4	2
			EXP:			In	N/O	N/A			2
						In	N/O	N/A			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES						CONFORMANCE WITH APPROVED PROCEDURES					
In		2. Communicable disease; reporting, restrictions, and exclusions		4		In		N/A			2
In	N/O	3. No persistent discharge from eyes, nose, and mouth			2	CONSUMER ADVISORY					
In	N/O	4. Proper eating, tasting, drinking, or tobacco use			2	In		N/A			1
PREVENTING CONTAMINATION BY HANDS						SCHOOL AND HEALTHCARE PROHIBITED FOOD					
In	N/O	5. Hands clean and properly washed; gloves used properly		4	2	In		N/A		4	2
In		6. Adequate handwashing facilities supplied and accessible			2	WATER / HOT WATER					
TIME AND TEMPERATURE RELATIONSHIP						In				4	2
In	N/O	N/A		4	2	WATER TEMPERATURE: 120F					
In	N/O	N/A		4	2	LIQUID WASTE DISPOSAL					
In	N/O	N/A		4	2	In				4	2
In	N/O	N/A		4	2	VERMIN					
In	N/O	N/A		4	2	In				4	2
		SANITIZER (ppm):200 Ammonia	WAREWASH TEMP:			In	N/A				1

SUPERVISION / PERSONAL CLEANLINESS		OUT	EQUIPMENT / UTENSILS / LINENS		OUT	PERMANENT FOOD FACILITIES		OUT
25. Person in charge present and performs duties, demonstration of knowledge		2	34. Utensils and equipment approved, good repair		1	45. Floors, walls, ceilings: good repair / fully enclosed		1
26. Personal cleanliness and hair restraints		1	35. Warewashing: installed, maintained, proper use, test materials		1	46. Floors, walls, and ceilings: clean		1
GENERAL FOOD SAFETY REQUIREMENTS			36. Equipment / utensils: installed, clean, adequate capacity		1	47. No unapproved private homes / living or sleeping quarters		1
27. Approved thawing methods, frozen food storage		1	37. Equipment, utensils, and linens: storage and use		1	SIGNS / REQUIREMENTS		
28. Food separated and protected from contamination		2	38. Adequate ventilation and lighting; designated areas, use		1	48. Last inspection report available		
29. Washing fruits and vegetables		1	39. Thermometers provided and accurate		1	49. Food Handler Certifications available, current, and complete		1
30. Toxic substances properly identified, stored, used		1	40. Wiping cloths: properly used and stored		1	50. Grade card and signs posted, visible		
FOOD STORAGE / DISPLAY / SERVICE			PHYSICAL FACILITIES			COMPLIANCE AND ENFORCEMENT		
31. Adequate food storage; food storage containers identified		1	41. Plumbing: properly installed, good repair		1	51. Plans approved / submitted		
32. Consumer self-service		1	42. Refuse properly disposed; facilities maintained		1	52. Permit available / current		
33. Food properly labeled; honestly presented; menu labeling		1	43. Toilet facilities: properly constructed, supplied, cleaned		1	53. Permit suspended / revoked		
			44. Premises; personal item storage and cleaning item storage		1			



**COUNTY OF RIVERSIDE**  
**DEPARTMENT OF ENVIRONMENTAL HEALTH**

(888)722-4234 • RIVCOEH.ORG

**FOOD ESTABLISHMENT INSPECTION REPORT**

FACILITY NAME	DATE	PERMIT #
Shell Gas Station -Jackson 6843	07/08/2025	PR1003244

**General Comments:**

A copy of current permit was delivered at time of inspection.

**Observations:**

**1. Food safety certification**

**Status:** OUT (2 PTS)

**Inspector Comments:** Observed missing food manager's certificate at time of inspection. Food facilities that prepare, handle or serve unpackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. Maintain at least one valid food manager certification on-site by 8/5/25.

**Violation Code** - Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. Food safety certificate must be maintained at the food facility and made available for inspection. (113947.1 - 113947.5)

**22. Sewage and wastewater properly disposed**

**Status:** OUT (2 PTS)

**Inspector Comments:** Observed soiled mop water by 3 compartment sink. Properly dispose of soiled mop water into the approved sewage system.

**Violation Code** - A facility must have an approved and properly functioning plumbing system at all times. All liquid waste must drain to an approved, fully functioning sewage disposal system. Fully functional restrooms must be provided for employee use during hours of operation. (114197, 114250)

**24. Vermin proofing, air curtains, self-closing doors**

**Status:** OUT (1 PTS)

**Inspector Comments:** Observed small gaps between two front doors. Exterior doors shall be self-closing, without gaps or openings, and maintained closed when not actively in use to prevent vermin entry.

**Violation Code** - Each food facility shall be constructed, equipped, maintained, and operated to prevent the entrance and harborage of animals, including birds and vermin. (114259, 114259.2, 114259.3)

**34. Utensils and equipment approved, good repair**

**Status:** OUT (1 PTS)

**Inspector Comments:** Observed broken light cover in warewashing room. Replace cover and maintain in good repair.

Observed empty non-functional 2 door reach in freezer unit in storage room. Repair, or remove from facility, if not in use to allow for more space in storage room.

**Violation Code** - All utensils and equipment shall be approved and in good repair. (114130, 114130.1-114130.6, 114132, 114133, 114137, 114175, 114177, 114257)

**36. Equipment / utensils: installed, clean, adequate capacity**

**Status:** OUT (1 PTS)

**Inspector Comments:** Clean and maintain the following equipment:

- sticky residue build up on Dr. Pepper dispenser
- residue build up on cappuccino dispenser nozzles

<b>SIGNATURE</b>	
	
PERSON IN CHARGE: <u>Billy Tarango</u>	SPECIALIST: <u>Ariana Fonseca</u>
PRINT	PRINT



**COUNTY OF RIVERSIDE**  
**DEPARTMENT OF ENVIRONMENTAL HEALTH**

(888)722-4234 • RIVCOEH.ORG

**FOOD ESTABLISHMENT INSPECTION REPORT**

FACILITY NAME Shell Gas Station -Jackson 6843	DATE 07/08/2025	PERMIT # PR1003244
--	--------------------	-----------------------

**Violation Code** - All utensils and equipment shall be clean and installed in an approved manner. Equipment type and quantity shall be adequate for the operation. (114115, 114130.3, 114139, 114153, 114163, 114165, 114167, 114169, 114175, 114180, 114182, 114257)

**43. Toilet facilities: properly constructed, supplied, cleaned**

**Status:** OUT (1 PTS)

**Inspector Comments:** Observed toilet paper to be placed on top of toilet tank. Properly store toilet paper in dispenser.

Observed restroom door to not be self-closing. Provide missing self-closing mechanism.

**Violation Code** - Toilet facilities shall be maintained clean, sanitary, and in good repair. Toilet rooms shall be separated by a well-fitting self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Toilet facilities shall be provided for patrons in establishments with more than 20,000 sq. ft. and in establishments offering on-site consumption. (114250, 114250.1, 114276)

**44. Premises: personal item storage and cleaning item storage**

**Status:** NOTE ( PTS)

**Inspector Comments:** Observed the following personal items to be stored in employee restroom: toothbrush, toothpaste, razor. Store all personal items in lockers or other approved designated area.

**Violation Code** - Lockers or another approved area for personal belongings shall be provided. The premises of each food facility shall be kept clean and free of litter and items that are unnecessary to the operation or maintenance of the facility. At least one janitorial sink with hot and cold running water shall be provided. Cleaning supplies and equipment shall be stored separate from food and food-related areas. Mops shall be store in such a way that allows air-drying. (114123, 114256, 114256.1, 114256.2, 114256.4, 114257.1, 114279, 114281, 114282)

**45. Floors, walls, ceilings: good repair / fully enclosed**

**Status:** OUT (1 PTS)

**Inspector Comments:** Repair the following areas to maintain facility fully enclosed and in good repair:

- opening on ceiling above 3 compartment sink
- opening on ceiling above packaged water in storage room
- damaged, bubbling, and peeling wall in warewashing room
- missing floor tiles at front doors
- missing smooth, easily cleanable material above restroom door
- missing piece of vinyl coving at point of sale counter
- provide dome/basket at floor sinks in warewashing room

**Violation Code** - The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)

**49. Food Handler Certifications available, current, and complete**

**Status:** OUT (1 PTS)

<b>SIGNATURE</b>	
PERSON IN CHARGE: <u>Billy Tarango</u>	SPECIALIST: <u>Ariana Fonseca</u>
PRINT	PRINT



COUNTY OF RIVERSIDE  
DEPARTMENT OF ENVIRONMENTAL HEALTH

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME	DATE	PERMIT #
Shell Gas Station -Jackson 6843	07/08/2025	PR1003244

**Inspector Comments:** Observed missing current and valid Riverside County food handler certificates at time of inspection. All employees who handle food, utensils, or food equipment shall have a valid Riverside County Food Handler Certificate by 7/15/25.  
**Violation Code** - County of Riverside Environmental Health Food Handler Certification(s) are available and current for all employees who prepare, store, or serve exposed food. (Riverside County Ordinance 567)

SIGNATURE

PERSON IN CHARGE: Billy Tarango

PRINT

SPECIALIST: Ariana Fonseca

PRINT

## REASONS FOR IMMEDIATE FACILITY CLOSURE

Per California Health and Safety Code Section 114409 (a):  
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, per California Health and Safety Code Section 114411:  
 "The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

## PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

### Time is the key factor in proper cooling

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper time frames.


## MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A 3-COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink.

Use one of the following sanitizing methods:

- 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
- 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
- 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
- Water at a temperature of 171°F for a minimum of 30 seconds in solution

5. **AIR DRY** all items on the drain board.



## PROPER FOOD THAWING METHODS




- Under refrigeration
- In a microwave oven on "defrost"
- Submerged under cold running water in an approved preparation sink for no longer than 2 hours
- As part of the cooking process



## 8 MAJOR FOOD ALLERGENS

- Milk
- Eggs
- Peanuts
- Tree nuts (e.g., almonds, walnuts, cashews)
- Fish (e.g., salmon, tuna, cod)
- Shellfish (e.g., shrimp, crab, lobster)
- Wheat
- Soy

## PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS



## INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

<b>135°F</b>	<b>145°F</b>	<b>145°F</b>	<b>145°F</b>	<b>155°F</b>	<b>155°F</b>	<b>165°F</b>	<b>165°F</b>
for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds

**Did you know you are protected from civil and criminal liability when donating food? The Federal Good Samaritan Food Donation Act (Civil Code, 171425) provides liability protections for good faith donations of surplus food. The California Good Samaritan Food Donation Act (California Retail Food Code, 114432) further expands the list of entities covered by the protection. It also allows for direct donation to a person from regulated and inspected facilities in addition to stating past-date food is subject to liability protection. Please consider donating your excess food product to a local food recovery organization. For more information visit our website at [www.rivcoeh.org](http://www.rivcoeh.org).**

## FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

**CORONA**  
 2275 S Main St #204  
 Corona, CA 92882  
 Phone 951-273-9140  
 Fax 951-520-8319

**HEMET**  
 800 S Sanderson Ave #200  
 Hemet, CA 92545  
 Phone 951-766-2824  
 Fax 951-766-7874

**INDIO**  
 47-950 Arabia St #A  
 Indio, CA 92201  
 Phone 760-863-8287  
 Fax 760-863-8303

**MURRIETA**  
 30135 Technology Dr #250  
 Murrieta, CA 92563  
 Phone 951-461-0284  
 Fax 951-461-0245

**PALM SPRINGS**  
 554 S Paseo Dorotea  
 Palm Springs, CA 92264  
 Phone 760-320-1048  
 Fax 760-320-1470

**RIVERSIDE**  
 4065 County Circle Dr #104  
 Riverside, CA 92503  
 Phone 951-358-5172  
 Fax 951-358-5017