



COUNTY OF RIVERSIDE DEPARTMENT OF ENVIRONMENTAL HEALTH

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME WENDYS #11630		DATE 01/05/2026	TIME IN 01:25 PM	TIME OUT 02:20 PM
FACILITY ADDRESS 1830 N Perris Blvd Perris, CA 92571-2701		FACILITY PHONE # (949) 858-9191		
PERMIT HOLDER Peter Capriotti		EMAIL wn011630@cottifoods.net		
PERMIT # PR0072031	FACILITY DESCRIPTION FF 2001-5999 SQFT Unpack Restaurant	EXPIRATION DATE 01/31/2026	DISTRICT 14	SERVICE Routine Inspection
				REINSPECTION DATE Next Routine

THE CONDITIONS LISTED BELOW CORRESPOND TO VIOLATIONS OF THE CALIFORNIA HEALTH AND SAFETY CODE AND / OR RIVERSIDE COUNTY ORDINANCES AND ALL VIOLATIONS SHALL BE CORRECTED AS INDICATED BY THE ENFORCEMENT OFFICER. REINSPECTION / RETURN-TO-COMPLIANCE WILL BE COMPLETED/VERIFIED ON OR AFTER THE DATE INDICATED ON THIS REPORT. THE DEPARTMENT OF ENVIRONMENTAL HEALTH APPRECIATES YOUR COOPERATION.

MAJOR / MINOR VIOLATIONS: MAJOR VIOLATIONS ARE THOSE THAT POSE AN IMMINENT RISK TO PUBLIC HEALTH AND WARRANT IMMEDIATE CLOSURE OF THE FOOD FACILITY OR IMMEDIATE CORRECTION. MINOR VIOLATIONS ARE THOSE VIOLATIONS THAT DO NOT POSE AN IMMINENT PUBLIC HEALTH RISK, BUT DO WARRANT CORRECTION.



GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 PASSED INSPECTION / MEETS MINIMUM HEALTH STANDARDS. B = 89-80 DID NOT PASS INSPECTION / DOES NOT MEET MINIMUM HEALTH STANDARDS. C = 79-0 FAILED INSPECTION / CONDITIONS EXIST WHICH MAY POSE A POTENTIAL OR ACTUAL THREAT TO PUBLIC HEALTH AND SAFETY. THE FACILITY IS REQUIRED TO DISPLAY A GRADE CARD IN A CONSPICUOUS PLACE SELECTED BY THE ENFORCEMENT OFFICER. THE GRADE CARD SHALL NOT BE CONCEALED AND CAN ONLY BE REMOVED OR RELOCATED BY THE ENFORCEMENT OFFICER PER COUNTY ORDINANCE 492 / COUNTY CODE SECTION 8.40.020

SCORE 96

In = In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site MAJ = Major Violation OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT	FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In	N/A	1. Food safety certification Mary Garcia ServSafe EXP:11/10/2026			2	In		15. Food obtained from approved sources		4	2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES						In	N/O	N/A			2
In		2. Communicable disease; reporting, restrictions, and exclusions		4		In	N/O	N/A			2
In	N/O	3. No persistent discharge from eyes, nose, and mouth			2	CONFORMANCE WITH APPROVED PROCEDURES					
In	N/O	4. Proper eating, tasting, drinking, or tobacco use			2	In		N/A			2
PREVENTING CONTAMINATION BY HANDS						CONSUMER ADVISORY					
In	N/O	5. Hands clean and properly washed; gloves used properly		4	2	In		N/A			1
In		6. Adequate handwashing facilities supplied and accessible			2	SCHOOL AND HEALTHCARE PROHIBITED FOOD					
TIME AND TEMPERATURE RELATIONSHIP						In		N/A		4	2
In	N/O	7. Proper hot and cold holding temperatures		4	2	WATER / HOT WATER					
In	N/O	8. Time as a public health control; procedures and records		4	2	In				4	2
In	N/O	9. Proper cooling methods		4	2	LIQUID WASTE DISPOSAL					
In	N/O	10. Proper cooking time and temperature		4	2	In				4	2
In	N/O	11. Proper reheating procedures for hot holding		4		VERMIN					
PROTECTION FROM CONTAMINATION						In				4	2
In	N/O	12. Returned and re-service of food			2	In				4	2
In		13. Food: unadulterated, no spoilage, no contamination		4	2	PERMANENT FOOD FACILITIES					
In	N/O	14. Food contact surfaces: clean and sanitized SANITIZER (ppm):200 Quat Ammonium WAREWASH TEMP: 100F		4	2	45. Floors, walls, ceilings: good repair / fully enclosed		1			

SUPERVISION / PERSONAL CLEANLINESS		OUT	EQUIPMENT / UTENSILS / LINENS		OUT	PERMANENT FOOD FACILITIES		OUT
25. Person in charge present and performs duties, demonstration of knowledge		2	34. Utensils and equipment approved, good repair		1	46. Floors, walls, and ceilings: clean		1
26. Personal cleanliness and hair restraints		1	35. Warewashing: installed, maintained, proper use, test materials		1	47. No unapproved private homes / living or sleeping quarters		1
GENERAL FOOD SAFETY REQUIREMENTS			36. Equipment / utensils: installed, clean, adequate capacity		1	SIGNS / REQUIREMENTS		
27. Approved thawing methods, frozen food storage		1	37. Equipment, utensils, and linens: storage and use		1	48. Last inspection report available		
28. Food separated and protected from contamination		2	38. Adequate ventilation and lighting; designated areas, use		1	49. Food Handler Certifications available, current, and complete		1
29. Washing fruits and vegetables		1	39. Thermometers provided and accurate		1	50. Grade card and signs posted, visible		
30. Toxic substances properly identified, stored, used		1	40. Wiping cloths: properly used and stored		1	COMPLIANCE AND ENFORCEMENT		
FOOD STORAGE / DISPLAY / SERVICE			PHYSICAL FACILITIES			51. Plans approved / submitted		
31. Adequate food storage; food storage containers identified		1	41. Plumbing: properly installed, good repair		1	52. Permit available / current		
32. Consumer self-service		1	42. Refuse properly disposed; facilities maintained		1	53. Permit suspended / revoked		
33. Food properly labeled; honestly presented; menu labeling		1	43. Toilet facilities: properly constructed, supplied, cleaned		1			
			44. Premises; personal item storage and cleaning item storage		1			



**COUNTY OF RIVERSIDE
DEPARTMENT OF ENVIRONMENTAL HEALTH**

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME WENDYS #11630	DATE 01/05/2026	PERMIT # PR0072031
--------------------------------	--------------------	-----------------------

General Comments:

Observations:

6. Adequate handwashing facilities supplied and accessible

Status: OUT (2 PTS) **Type:** Violation

Inspector Comments:

The men's restroom hand sink had low pressure and no hot water was measured. The person in charge, Mary, stated that a work order has been submitted. Repair this sink so as to provide adequate pressure and a temperature of at least 100 F.

Violation Code - Adequate facilities exclusively for handwashing shall be provided in food preparation areas and within toilet rooms. Handwashing soap, and towels or drying device, shall be provided in dispensers. Handwashing facilities shall be clean, unobstructed, and accessible at all times for employee use. (113953, 113953.1, 113953.2, 114067(f), 114143 (e))

41. Plumbing: properly installed, good repair

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments:

No air gap was observed at the wastewater discharge lines at the from the beverage dispenser near the drive through window. Provide a 1" air gap above the level of the floor sink.

Violation Code - All plumbing shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. All food-related equipment drain lines must discharge through an approved indirect connection. Any hose used for conveying potable water shall be made from approved material and used for no other purpose. (114171, 114189.1, 114190, 114192 (b,c), 114193, 114193.1, 114199, 114201, 114269)

46. Floors, walls, and ceilings: clean

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments:

An accumulation of trash and food debris was observed on the floor beneath the front service counter and beneath the cookline and drive through equipment. Clean to remove this accumulation. Maintain the floors clean and sanitary.

Violation Code - Floors, walls, and ceilings shall be maintained clean. (114257, 114268.1,)

SIGNATURE	
	
PERSON IN CHARGE: <u>Mary Garcia</u>	SPECIALIST: <u>Michael Vena</u>
PRINT	PRINT

REASONS FOR IMMEDIATE FACILITY CLOSURE

Per California Health and Safety Code Section 114409 (a):
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, per California Health and Safety Code Section 114411:
 "The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

Time is the key factor in proper cooling

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper time frames.

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A 3-COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink.

Use one of the following sanitizing methods:

- 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
- 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
- 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
- Water at a temperature of 171°F for a minimum of 30 seconds in solution

5. **AIR DRY** all items on the drain board.



PROPER FOOD THAWING METHODS



- Under refrigeration
- In a microwave oven on "defrost"
- Submerged under cold running water in an approved preparation sink for no longer than 2 hours
- As part of the cooking process



8 MAJOR FOOD ALLERGENS


- Milk
- Eggs
- Peanuts
- Tree nuts (e.g., almonds, walnuts, cashews)
- Fish (e.g., salmon, tuna, cod)
- Shellfish (e.g., shrimp, crab, lobster)
- Wheat
- Soy

INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F	145°F	145°F	145°F	155°F	155°F	165°F	165°F
for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds

PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS



Did you know you are protected from civil and criminal liability when donating food? The Federal Good Samaritan Food Donation Act (Civil Code, 171425) provides liability protections for good faith donations of surplus food. The California Good Samaritan Food Donation Act (California Retail Food Code, 114432) further expands the list of entities covered by the protection. It also allows for direct donation to a person from regulated and inspected facilities in addition to stating past-date food is subject to liability protection. Please consider donating your excess food product to a local food recovery organization. For more information visit our website at www.rivcoeh.org.

FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

CORONA
 2275 S Main St #204
 Corona, CA 92882
 Phone 951-273-9140
 Fax 951-520-8319

HEMET
 800 S Sanderson Ave #200
 Hemet, CA 92545
 Phone 951-766-2824
 Fax 951-766-7874

INDIO
 47-950 Arabia St #A
 Indio, CA 92201
 Phone 760-863-8287
 Fax 760-863-8303

MURRIETA
 30135 Technology Dr #250
 Murrieta, CA 92563
 Phone 951-461-0284
 Fax 951-461-0245

PALM SPRINGS
 554 S Paseo Dorotea
 Palm Springs, CA 92264
 Phone 760-320-1048
 Fax 760-320-1470

RIVERSIDE
 4065 County Circle Dr #104
 Riverside, CA 92503
 Phone 951-358-5172
 Fax 951-358-5017