



COUNTY OF RIVERSIDE DEPARTMENT OF ENVIRONMENTAL HEALTH

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME UCR Shell		DATE 02/04/2026	TIME IN 12:30 PM	TIME OUT 01:30 PM
FACILITY ADDRESS 3261 Iowa Ave Riverside, CA 92507-2816		FACILITY PHONE # (951) 369-3433		
PERMIT HOLDER Sanjeeu Chawla		EMAIL		
PERMIT # PR0088565	FACILITY DESCRIPTION FF 1-2000 SQFT Unpack Restaurant	EXPIRATION DATE 08/31/2025	DISTRICT 7	SERVICE Routine Inspection
				REINSPECTION DATE Next Routine

THE CONDITIONS LISTED BELOW CORRESPOND TO VIOLATIONS OF THE CALIFORNIA HEALTH AND SAFETY CODE AND / OR RIVERSIDE COUNTY ORDINANCES AND ALL VIOLATIONS SHALL BE CORRECTED AS INDICATED BY THE ENFORCEMENT OFFICER. REINSPECTION / RETURN-TO-COMPLIANCE WILL BE COMPLETED/VERIFIED ON OR AFTER THE DATE INDICATED ON THIS REPORT. THE DEPARTMENT OF ENVIRONMENTAL HEALTH APPRECIATES YOUR COOPERATION.

MAJOR / MINOR VIOLATIONS: MAJOR VIOLATIONS ARE THOSE THAT POSE AN IMMEDIATE RISK TO PUBLIC HEALTH AND WARRANT IMMEDIATE CLOSURE OF THE FOOD FACILITY OR IMMEDIATE CORRECTION. MINOR VIOLATIONS ARE THOSE VIOLATIONS THAT DO NOT POSE AN IMMEDIATE PUBLIC HEALTH RISK, BUT DO WARRANT CORRECTION.



GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 PASSED INSPECTION / MEETS MINIMUM HEALTH STANDARDS. B = 89-80 DID NOT PASS INSPECTION / DOES NOT MEET MINIMUM HEALTH STANDARDS. C = 79-0 FAILED INSPECTION / CONDITIONS EXIST WHICH MAY POSE A POTENTIAL OR ACTUAL THREAT TO PUBLIC HEALTH AND SAFETY. THE FACILITY IS REQUIRED TO DISPLAY A GRADE CARD IN A CONSPICUOUS PLACE SELECTED BY THE ENFORCEMENT OFFICER. THE GRADE CARD SHALL NOT BE CONCEALED AND CAN ONLY BE REMOVED OR RELOCATED BY THE ENFORCEMENT OFFICER PER COUNTY ORDINANCE 492 / COUNTY CODE SECTION 8.40.020

SCORE 94

In = In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site MAJ = Major Violation OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT	FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In	N/A	1. Food safety certification			2	In		15. Food obtained from approved sources		4	2
			EXP:			In	N/O	N/A			2
						In	N/O	N/A			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES						CONFORMANCE WITH APPROVED PROCEDURES					
In		2. Communicable disease; reporting, restrictions, and exclusions		4		In	N/A	18. Compliance with variance, specialized process, and HACCP plan			2
In	N/O	3. No persistent discharge from eyes, nose, and mouth			2	CONSUMER ADVISORY					
In	N/O	4. Proper eating, tasting, drinking, or tobacco use			2	In	N/A	19. Written disclosure and reminder statements provided for raw or undercooked food			1
PREVENTING CONTAMINATION BY HANDS						SCHOOL AND HEALTHCARE PROHIBITED FOOD					
In	N/O	5. Hands clean and properly washed; gloves used properly		4	2	In	N/A	20. Licensed health care facilities / public and private schools; prohibited food not offered		4	2
In		6. Adequate handwashing facilities supplied and accessible			2	WATER / HOT WATER					
TIME AND TEMPERATURE RELATIONSHIP						In		21. Hot and cold water available		4	2
In	N/O	N/A		4	2	WATER TEMPERATURE: 122F					
In	N/O	N/A		4	2	LIQUID WASTE DISPOSAL					
In	N/O	N/A		4	2	In		22. Sewage and wastewater properly disposed		4	2
In	N/O	N/A		4	2	VERMIN					
In	N/O	N/A		4	2	In		23. No rodents, insects, birds, or animals		4	2
SANITIZER (ppm):100 Chlorine WAREWASH TEMP: 100F						In	N/A	24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS		OUT	EQUIPMENT / UTENSILS / LINENS		OUT	PERMANENT FOOD FACILITIES		OUT
25. Person in charge present and performs duties, demonstration of knowledge		2	34. Utensils and equipment approved, good repair		1	45. Floors, walls, ceilings: good repair / fully enclosed		1
26. Personal cleanliness and hair restraints		1	35. Warewashing: installed, maintained, proper use, test materials		1	46. Floors, walls, and ceilings: clean		1
GENERAL FOOD SAFETY REQUIREMENTS			36. Equipment / utensils: installed, clean, adequate capacity		1	47. No unapproved private homes / living or sleeping quarters		1
27. Approved thawing methods, frozen food storage		1	37. Equipment, utensils, and linens: storage and use		1	SIGNS / REQUIREMENTS		
28. Food separated and protected from contamination		2	38. Adequate ventilation and lighting; designated areas, use		1	48. Last inspection report available		
29. Washing fruits and vegetables		1	39. Thermometers provided and accurate		1	49. Food Handler Certifications available, current, and complete		1
30. Toxic substances properly identified, stored, used		1	40. Wiping cloths: properly used and stored		1	50. Grade card and signs posted, visible		
FOOD STORAGE / DISPLAY / SERVICE			PHYSICAL FACILITIES			COMPLIANCE AND ENFORCEMENT		
31. Adequate food storage; food storage containers identified		1	41. Plumbing: properly installed, good repair		1	51. Plans approved / submitted		
32. Consumer self-service		1	42. Refuse properly disposed; facilities maintained		1	52. Permit available / current		
33. Food properly labeled; honestly presented; menu labeling		1	43. Toilet facilities: properly constructed, supplied, cleaned		1	53. Permit suspended / revoked		
			44. Premises; personal item storage and cleaning item storage		1			



COUNTY OF RIVERSIDE
DEPARTMENT OF ENVIRONMENTAL HEALTH

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME UCR Shell	DATE 02/04/2026	PERMIT # PR0088565
----------------------------	--------------------	-----------------------

General Comments:

Observations:

34. Utensils and equipment approved, good repair

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments: Observed the far right door of the reach-in beverage cooler to be missing a cover with plastic barricade. No potentially hazardous food is stored inside. Repair/replace cooler door in an approved manner.

Violation Code - All utensils and equipment shall be approved and in good repair. (114130, 114130.1-114130.6, 114132, 114133, 114137, 114175, 114177, 114257)

35. Warewashing: installed, maintained, proper use, test materials

Status: OUT (1 PTS) **Type:** Repeat.

Inspector Comments: Observed missing chlorine test strips. Provide accurate test strips to ensure proper sanitizer concentration is used. This is a repeat violation provide proof of test strips by 2/9/26

Violation Code - Food facilities that prepare food shall have approved warewashing equipment. Testing equipment and materials shall be provided to measure the wash water temperature and applicable sanitization method. (114067(g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125)

38. Adequate ventilation and lighting; designated areas, use

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments: Observed a few lights not functioning in back warewash area. Person in charge stated the lights do not work due to water leak. Restore lights to provide adequate lighting in areas where food is stored and washed.

Violation Code - Mechanical exhaust ventilation shall be provided to remove toxic gases, heat, grease, vapors, and smoke. All areas of a food facility shall have sufficient ventilation to facilitate proper food storage and provide a reasonable condition of comfort for each employee. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan. Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1)

43. Toilet facilities: properly constructed, supplied, cleaned

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments: Observed outside restroom missing soap and hand dryer not functional. Provide soap and functional drying device or paper towels inside dispenser to facilitate proper handwashing.

Violation Code - Toilet facilities shall be maintained clean, sanitary, and in good repair. Toilet rooms shall be separated by a well-fitting self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Toilet facilities shall be

SIGNATURE	
 <hr/>	 <hr/>
PERSON IN CHARGE: <u>Jai chawla</u>	SPECIALIST: <u>Brittany Porto</u>
PRINT	PRINT



**COUNTY OF RIVERSIDE
DEPARTMENT OF ENVIRONMENTAL HEALTH**

(888)722-4234 • RIVCOEH.ORG

FOOD ESTABLISHMENT INSPECTION REPORT

FACILITY NAME UCR Shell	DATE 02/04/2026	PERMIT # PR0088565
----------------------------	--------------------	-----------------------

provided for patrons in establishments with more than 20,000 sq. ft. and in establishments offering on-site consumption. (114250, 114250.1, 114276)

45. Floors, walls, ceilings: good repair / fully enclosed

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments: Observed damaged/stained FRP on wall behind 2-compartment sink. Person in charge stated damage was due to a roof leak which has been patched. Repair/ replace FRP in appropriate manner.

Observed missing ceiling tiles in back storage/warewash area. Properly install smooth vinyl ceiling tiles to ensure facility is fully enclosed.

Violation Code - The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)

49. Food Handler Certifications available, current, and complete

Status: OUT (1 PTS) **Type:** Violation

Inspector Comments: Observed missing Food Handler Certificates. Provide current Riverside County Food Handler Certificates by 2/11/26.

Violation Code - County of Riverside Environmental Health Food Handler Certification(s) are available and current for all employees who prepare, store, or serve exposed food. (Riverside County Ordinance 567)

SIGNATURE

PERSON IN CHARGE: Jai chawla

PRINT

SPECIALIST: Brittany Porto

PRINT

REASONS FOR IMMEDIATE FACILITY CLOSURE

Per California Health and Safety Code Section 114409 (a):
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, per California Health and Safety Code Section 114411:
 "The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

Time is the key factor in proper cooling

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper time frames.


MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A 3-COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink.

Use one of the following sanitizing methods:

- 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
- 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
- 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
- Water at a temperature of 171°F for a minimum of 30 seconds in solution

5. **AIR DRY** all items on the drain board.



PROPER FOOD THAWING METHODS




- Under refrigeration
- In a microwave oven on "defrost"
- Submerged under cold running water in an approved preparation sink for no longer than 2 hours
- As part of the cooking process



8 MAJOR FOOD ALLERGENS

- Milk
- Eggs
- Peanuts
- Tree nuts (e.g., almonds, walnuts, cashews)
- Fish (e.g., salmon, tuna, cod)
- Shellfish (e.g., shrimp, crab, lobster)
- Wheat
- Soy

PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS



INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F	145°F	145°F	145°F	155°F	155°F	165°F	165°F
for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds

Did you know you are protected from civil and criminal liability when donating food? The Federal Good Samaritan Food Donation Act (Civil Code, 171425) provides liability protections for good faith donations of surplus food. The California Good Samaritan Food Donation Act (California Retail Food Code, 114432) further expands the list of entities covered by the protection. It also allows for direct donation to a person from regulated and inspected facilities in addition to stating past-date food is subject to liability protection. Please consider donating your excess food product to a local food recovery organization. For more information visit our website at www.rivcoeh.org.

FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

CORONA
 2275 S Main St #204
 Corona, CA 92882
 Phone 951-273-9140
 Fax 951-520-8319

HEMET
 800 S Sanderson Ave #200
 Hemet, CA 92545
 Phone 951-766-2824
 Fax 951-766-7874

INDIO
 47-950 Arabia St #A
 Indio, CA 92201
 Phone 760-863-8287
 Fax 760-863-8303

MURRIETA
 30135 Technology Dr #250
 Murrieta, CA 92563
 Phone 951-461-0284
 Fax 951-461-0245

PALM SPRINGS
 554 S Paseo Dorotea
 Palm Springs, CA 92264
 Phone 760-320-1048
 Fax 760-320-1470

RIVERSIDE
 4065 County Circle Dr #104
 Riverside, CA 92503
 Phone 951-358-5172
 Fax 951-358-5017