





**COUNTY OF RIVERSIDE  
DEPARTMENT OF ENVIRONMENTAL HEALTH**

(888)722-4234 • RIVCOEH.ORG

**FOOD ESTABLISHMENT INSPECTION REPORT**

FACILITY NAME Shell	DATE 02/17/2026	PERMIT # PR0057147
------------------------	--------------------	-----------------------

**General Comments:**

**Observations:**

**6. Adequate handwashing facilities supplied and accessible**

**Status:** OUT (2 PTS) **Type:** Violation

**Inspector Comments:** Observed no paper towels inside dispenser. provide paper towels and soap inside dispenser at all times.

**Violation Code** - Adequate facilities exclusively for handwashing shall be provided in food preparation areas and within toilet rooms. Handwashing soap, and towels or drying device, shall be provided in dispensers. Handwashing facilities shall be clean, unobstructed, and accessible at all times for employee use. (113953, 113953.1, 113953.2, 114067(f), 114143 (e))

**37. Equipment, utensils, and linens: storage and use**

**Status:** OUT (1 PTS) **Type:** Violation

**Inspector Comments:** observed ware wash station area with equipment and supplies directly on floor and cluttered in corner providing a nest for vector activity. clean and organize area and keep all equipment and supplies a minimum of 6" off floor to prevent pest harboring.

**Violation Code** - Utensils and equipment shall be handled and stored in an approved manner, protected from contamination. All clean and soiled linen shall be properly stored. (114067(h), 114074, 114081, 114083, 114119, 114121, 114143(a-b) 114161, 114172, 114178, 114179, 114185, 114185.2, 114185.3, 114185.4, 114185.5)

**SIGNATURE**



PERSON IN CHARGE: Dolores

PRINT



SPECIALIST: Richard Conant

PRINT

## REASONS FOR IMMEDIATE FACILITY CLOSURE

Per California Health and Safety Code Section 114409 (a):  
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, per California Health and Safety Code Section 114411:  
 "The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

## PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

### Time is the key factor in proper cooling

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper time frames.

## MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A 3-COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink.

Use one of the following sanitizing methods:

- 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
- 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
- 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
- Water at a temperature of 171°F for a minimum of 30 seconds in solution

5. **AIR DRY** all items on the drain board.



## PROPER FOOD THAWING METHODS



- Under refrigeration
- In a microwave oven on "defrost"
- Submerged under cold running water in an approved preparation sink for no longer than 2 hours
- As part of the cooking process



## 8 MAJOR FOOD ALLERGENS


- Milk
- Eggs
- Peanuts
- Tree nuts (e.g., almonds, walnuts, cashews)
- Fish (e.g., salmon, tuna, cod)
- Shellfish (e.g., shrimp, crab, lobster)
- Wheat
- Soy

## INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F	145°F	145°F	145°F	155°F	155°F	165°F	165°F
for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds

## PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS



**Did you know you are protected from civil and criminal liability when donating food? The Federal Good Samaritan Food Donation Act (Civil Code, 171425) provides liability protections for good faith donations of surplus food. The California Good Samaritan Food Donation Act (California Retail Food Code, 114432) further expands the list of entities covered by the protection. It also allows for direct donation to a person from regulated and inspected facilities in addition to stating past-date food is subject to liability protection. Please consider donating your excess food product to a local food recovery organization. For more information visit our website at [www.rivcoeh.org](http://www.rivcoeh.org).**

## FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

**CORONA**  
 2275 S Main St #204  
 Corona, CA 92882  
 Phone 951-273-9140  
 Fax 951-520-8319

**HEMET**  
 800 S Sanderson Ave #200  
 Hemet, CA 92545  
 Phone 951-766-2824  
 Fax 951-766-7874

**INDIO**  
 47-950 Arabia St #A  
 Indio, CA 92201  
 Phone 760-863-8287  
 Fax 760-863-8303

**MURRIETA**  
 30135 Technology Dr #250  
 Murrieta, CA 92563  
 Phone 951-461-0284  
 Fax 951-461-0245

**PALM SPRINGS**  
 554 S Paseo Dorotea  
 Palm Springs, CA 92264  
 Phone 760-320-1048  
 Fax 760-320-1470

**RIVERSIDE**  
 4065 County Circle Dr #104  
 Riverside, CA 92503  
 Phone 951-358-5172  
 Fax 951-358-5017